

IAPMO OCEANIA

7-11 Fullard Road, Narre Warren, Victoria 3805, Australia /info@iapmooceania.org



IAPMO Oceania is a product certification body which inspects and arranges for the independent laboratory testing of samples taken from the manufacturer's stock or from the market or a combination of both, to verify compliance of the requirements of applicable Standards and Specifications. This activity is coupled with periodic surveillance of the manufacturer's factory and any major subcontractor's site/s as well as the assessment of the manufacturer's Quality Assurance System. This certification is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO R&T Oceania of the product acceptance by Authorities Having Jurisdiction.

CERTIFICATE OF CONFORMITY

IAPMO Oceania hereby grants to:

Billi Australia Pty Ltd

A.B.N.: 64624954829

42 Lucknow Crescent, Thomastown, Victoria 3074 Australia

Email: AccountsPayable@billi.com.au

the right to use the WaterMark in accordance with the ABCB Manual for the WaterMark Certification Scheme; Australian Standards; WaterMark Technical Specifications; and the Plumbing Code of Australia; only in respect of the certified product as described in the WaterMark Certificate of Conformity – Schedule of Certified Product (Refer also IAPMO Product Listing Directory). The Certificate is granted subject to the rules governing the WaterMark Certification Scheme and the Terms and Conditions of the Approved User Agreement and IAPMO Oceania's WaterMark Governance Rules.

Evaluated to:

AS 3498:2020

Safety and public health requirements for plumbing products - Water heaters and hot-water storage tanks

Manufacturer:

Refer to Licence Holder

Licence No.: WM-021525

First Certified: 19 May 2008

Certification Date: 19 May 2024

Expiry Date: 18 May 2029

David Viola
Chief Executive Officer of the IAPMO Group

This WaterMark certification is for the period indicated herein and is void after the date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of IAPMO Oceania, or any evidence of non-compliance with applicable Standards, Specifications or of inferior workmanship, may be deemed sufficient cause for revocation of this certification. Reproduction of or reference to this certificate for advertising purposes may be made only by specific written permission of IAPMO Oceania. Any alteration of this certificate could be grounds for revocation of this certification.

"This certificate is issued by a JAS-ANZ accredited Conformity Assessment Body. The ABCB and JAS-ANZ do not in any way warrant, guarantee or represent that the product the subject of this Certificate conforms to the WaterMark Certification Scheme Rules, nor accepts any liability arising out of the use of the product. The ABCB disclaims to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages and costs arising as a result of the use of the product(s) referred to in this Certificate."



WATERMARK CERTIFICATE OF CONFORMITY

SCHEDULE OF CERTIFIED PRODUCT



Certificate Holder
Billi Australia Pty Ltd

A.B.N.:64624954829

42 Lucknow Crescent, Thomastown, Victoria 3074 Australia

Manufacturer
Refer to Licence Holder

Standard
AS 3498:2020

Safety and public health requirements for plumbing products - Water heaters and hot-water storage tanks

Licence No. WM-021525

Certification Date: 19 May 2024

Expiry Date: 18 May 2029

First Certified: 19 May 2008

Brand Name	Model Name	Model ID	Product Type	Product Description	Inlet	Outlet	Max Working Pressure	Nominated Max Temp Delivery	Energy Source	Material
Billi	Eco	901000	Appliance	Filtered boiling and Chilled drinking water System	G½B	N/A	1000 kPa	98.5°C	Electrical	Ryton PPS
Billi	Quadra Compact W/C	904010	Appliance	Filtered boiling & chilled drinking water system. Water cooled	G½B	N/A	1000 kPa	98.5°C	Electrical	316 Stainless Steel
Billi	Quadra 420 W/C	904020	Appliance	Filtered boiling & chilled drinking water system. Water cooled	G½B	N/A	1000 kPa	98.5°C	Electrical	316 Stainless Steel
Billi	Quadra Plus 5	904025	Appliance	Filtered boiling & chilled drinking water & 50oC Washing Systems	G½B	N/A	1000 kPa	98.5°C	Electrical	316 Stainless Steel
Billi	Quadra 440 W/C	904040	Appliance	Filtered boiling & chilled drinking water system. Water cooled	G½B	N/A	1000 kPa	98.5°C	Electrical	316 Stainless Steel
Billi	Quadra 460 W/C	904060	Appliance	Filtered boiling & chilled drinking water system. Water cooled	G½B	N/A	1000 kPa	98.5°C	Electrical	316 Stainless Steel
Billi	Quadra Plus 9 W/C	904065	Appliance	Filtered boiling & chilled drinking water & 50°C washing system	G½B	N/A	1000 kPa	98.5°C	Electrical	316 Stainless Steel
Billi	Quadra 4100 W/C	904100	Appliance	Filtered boiling & chilled drinking water system. Water cooled	G½B	N/A	1000 kPa	98.5°C	Electrical	316 Stainless Steel
Billi	Quadra Plus15 W/C	904105	Appliance	Filtered boiling & chilled drinking water & 50° washing system	G½B	N/A	1000 kPa	98.5°C	Electrical	316 Stainless Steel
Billi	Quadra Twin Plus 15	904107	Appliance	Filtered boiling & chilled drinking water & 50oC Washing Systems x 2	G½B	N/A	1000 kPa	98.5°C	Electrical	316 Stainless Steel
Billi	Quadra 4180 W/C	904180	Appliance	Filtered boiling & chilled drinking water system. Water cooled	G½B	N/A	1000 kPa	98.5°C	Electrical	316 Stainless Steel
Billi	Quadra Twin Plus 21	904187	Appliance	Filtered boiling & chilled drinking water & 50oC Washing Systems x 2	G½B	N/A	1000 kPa	98.5°C	Electrical	316 Stainless Steel
Billi	Quadra Compact A/C	905010	Appliance	Filtered boiling & chilled drinking water system. Air cooled	G½B	N/A	1000 kPa	98.5°C	Electrical	316 Stainless Steel
Billi	Quadra 420 A/C	905020	Appliance	Filtered boiling & chilled drinking water system. Air cooled	G½B	N/A	1000 kPa	98.5°C	Electrical	316 Stainless Steel

Brand Name	Model Name	Model ID	Product Type	Product Description	Inlet	Outlet	Max Working Pressure	Nominated Max Temp Delivery	Energy Source	Material
Billi	Quadra Plus 5 A/C	905025	Appliance	Filtered boiling & chilled drinking water & 50oC Washing Systems Aircooled	G½B	N/A	1000 kPa	98.5°C	Electrical	316 Stainless Steel
Billi	Quadra 440 A/C	905040	Appliance	Filtered boiling & chilled drinking water system. Air cooled	G½B	N/A	1000 kPa	98.5°C	Electrical	316 Stainless Steel
Billi	Quadra 460 A/C	905060	Appliance	Filtered boiling & chilled drinking water system. Air cooled	G½B	N/A	1000 kPa	98.5°C	Electrical	316 Stainless Steel
Billi	Quadra Plus 9 A/C	905065	Appliance	Filtered boiling & chilled drinking water & 50° washing system	G½B	N/A	1000 kPa	98.5°C	Electrical	316 Stainless Steel
Billi	Quadra 4100 A/C	905100	Appliance	Filtered boiling & chilled drinking water system. Air cooled	G½B	N/A	1000 kPa	98.5°C	Electrical	316 Stainless Steel
Billi	Quadra Plus15 A/C	905105	Appliance	Filtered boiling & chilled drinking water & 50° washing system	G½B	N/A	1000 kPa	98.5°C	Electrical	316 Stainless Steel
Billi	Quadra 4180 A/C	905180	Appliance	Filtered boiling & chilled drinking water system. Air cooled	G½B	N/A	1000 kPa	98.5°C	Electrical	316 Stainless Steel
Billi	B4000	914000	Appliance	B4000 Boiling and Ambient Drinking Water	G1/2B	N/A	1000 kPa	98.5°C	Electrical	Ryton PPS
Billi	B5000	915000	Appliance	B5000 Boiling & Chilled Filtered Water System	G1/2B	N/A	1000 kPa	98.5°C	Electrical	Ryton PPS
Billi	B6000	916000	Appliance	B6000 Boiling & Chilled Filtered Water System	G1/2B	NA	1000 kPa	98.5°C	Electrical	316 Stainless steel
Billi	Sahara 320	923020	Appliance	Filtered boiling and ambient water system.	G½	N/A	1000 kPa	98.5°C	Electrical	316 Stainless Steel
Billi	Sahara 360	923060	Appliance	Filtered boiling and ambient water system.	G½	N/A	1000 kPa	98.5°C	Electrical	316 Stainless Steel
Billi	Sahara 3120	923120	Appliance	Filtered boiling and ambient water system.	G½	N/A	1000 kPa	98.5°C	Electrical	316 Stainless Steel
Billi	Sahara 310	943010	Appliance	Filtered boiling and Ambient water system	G1/2B	N/A	1000 kPa	98.5°C	Electrical	Ryton PPS
Billi	Sahara 320	943020	Appliance	Filtered boiliing and ambeint drinking water	G½B	N/A	1000 kPa	98.5°C	Electrical	316 Stainless Steel
Billi	Sahara 320 Plus	943025	Appliance	Filtered boiling & ambeint drinking water & 50oC Washing Systems	G½B	N/A	1000 kPa	98.5°C	Electrical	316 Stainless Steel
Billi	Sahara 360	943060	Appliance	Filtered boiliing and ambeint drinking water	G½B	N/A	1000 kPa	98.5°C	Electrical	316 Stainless Steel
Billi	Sahara 360 Plus	943065	Appliance	Filtered boiling & ambeint drinking water & 50oC Washing Systems	G½B	N/A	1000 kPa	98.5°C	Electrical	316 Stainless Steel
Billi	Sahara 3120	943120	Appliance	Filtered boiliing and ambeint drinking water	G½B	N/A	1000 kPa	98.5°C	Electrical	316 Stainless Steel
Billi	Sahara 3120 Plus	943125	Appliance	Filtered boiling & ambeint drinking water & 50oC Washing Systems	G½B	N/A	1000 kPa	98.5°C	Electrical	316 Stainless Steel
Billi	Billi Eco Sparkling 90/60/60	906000	Appliance	Filtered boiling and Ambient water system	G1/2B	N/A	1000 kPa	98.5°C	Electrical	Ryton PPS
Billi	Billi B5000 Sparkling	915100	Appliance	Filtered boiling and Ambient water system	G1/2B	N/A	1000 kPa	98.5°C	Electrical	Ryton PPS
Billi	Billi Eco Sparkling BM	909000	Appliance	Filtered boiling and Ambient water system	G1/2B	N/A	1000 kPa	98.5°C	Electrical	Ryton PPS
Billi	Quadra Sparkling 180/120/120 BM	909060	Appliance	Filtered boiling and Ambient water system	G1/2B	N/A	1000 kPa	98.5°C	Electrical	Ryton PPS

Brand Name	Model Name	Model ID	Product Type	Product Description	Inlet	Outlet	Max Working Pressure	Nominated Max Temp Delivery	Energy Source	Material
Billi	Billi Quadra Sparkling Plus9 BM	909065	Appliance	Filtered boiling and Ambient water system	G1/2B	N/A	1000 kPa	98.5°C	Electrical	Ryton PPS
Billi	Billi Quadra Sparkling 180/120/120	906060	Appliance	Filtered boiling and Ambient water system	G1/2B	N/A	1000 kPa	98.5°C	Electrical	Ryton PPS
Billi	Billi Quadra Sparkling Sparkling Plus 180/120/120	906065	Appliance	Filtered boiling and Ambient water system	G1/2B	N/A	1000 kPa	98.5°C	Electrical	Ryton PPS
Billi	Billi Quadra Sparkling 4100	906100	Appliance	Filtered boiling and Ambient water system	G1/2B	N/A	1000 kPa	98.5°C	Electrical	Ryton PPS
Billi	Billi Quadra Sparkling 15	906105	Appliance	Filtered boiling and Ambient water system	G1/2B	N/A	1000 kPa	98.5°C	Electrical	Ryton PPS
Billi	Billi Quadra Sparkling 4100 BM	909100	Appliance	Filtered boiling and Ambient water system	G1/2B	N/A	1000 kPa	98.5°C	Electrical	Ryton PPS
Billi	Billi Quadra Sparkling 15 BM	909105	Appliance	Filtered boiling and Ambient water system	G1/2B	N/A	1000 kPa	98.5°C	Electrical	Ryton PPS
Billi	BilliHome BCS	925100	Appliance	Filtered boiling, chilled, sparkling dispenser	G1/2B	N/A	1000 kPa	98.5°C	Electrical	316 Stainless Steel
Billi	OmniOne Pro 60	926060	Appliance	Filtered boiling, chilled, sparkling dispenser	G1/2B	N/A	1000 kPa	98.5°C	Electrical	316 Stainless Steel
Billi	OmniOne Plus 9	926065	Appliance	Filtered boiling, chilled, sparkling dispenser & 50oC washing systems	G1/2B	N/A	1000 kPa	98.5°C	Electrical	316 Stainless Steel

END RECORD

END RECORD



David Viola
Chief Executive Officer of the IAPMO Group