

## ELKAY® BIM Content Library

### User Guide – Bottle Filling Stations -

Products ➤ Drinking Water ➤ Bottle Filling Stations ➤ On Wall



Figure 1: EZ Family

## LOADING THE MODELS

### How to Load the Elkay Family

It is recommended the steps outlined below are followed to properly load the BIM component into a project.

1. Open a Revit Project File (.RVT) and navigate to the Plan View.
2. Go to the 'Insert' tab on the Revit ribbon and select 'Load Family'




Figure 2: Loading the Family into a Project

3. Navigate to the location of the downloaded Elkay Bottle Filling Stations (RFA file)
4. Click 'OK' to load the component into the project

The family is now copied and embedded into the project. It can be selected from the components button located on the 'Architecture' tab on the main Revit Ribbon.

## ACCESSING PRODUCT INFORMATION

### How to Access the Data for the EZ Family

To access the data embedded into the component, simply select the desired component and click the 'Edit Type' button at the head of the 'Properties' bar. This is typically located on the left-hand side of the screen.

BIM File Name: **Elkay\_Drinking-Water\_Bottle-Filling-Stations\_EZ\_Onwall\_St2\_Asiapac.rfa**




Figure 3: Accessing Additional Data

## Master BIM Model : Elkay\_Drinking-Water\_Bottle-Filling-Stations\_EZ\_Onwall\_St2\_Asiapac.rfa

### SKU's List in BIM

Type Properties

Family: **Elkay\_Drinking-Water\_Bottle-Filling-Stations\_EZ\_Onwall\_St2\_Asiapac**

Type: **L25TLBW5L2K**

Type Parameters:

- Construction: L25TLBW5L2K
- Special Finish: L25TLBW5L2K
- Finish: L25TLBW5L2K
- Power: L25TLBW5L2K
- Bubbler Style: L25TLBW5L2K
- Activation: L25TLBW5L2K
- Mounting: L25TLBW5L2K
- Chilling Cap: L25TLBW5L2K

Rated Watts: 13

Dimensions (L x W x H): 36 3/4 inch x 19 inch x 39 1/16 inch

Approx. Shipping Weight: 106 lbs

Installation Location: Indoor

Number of Stations: 2

Materials and Finishes:

Finish 1: Light Grey Granite

Mechanical:

WPU: L25TLBW5L2K

WPU: L25TLBW5L2K

WPU: L25TLBW5L2K

Identity Data:

Type Image: L25TLBW5L2K

Model: L25TLBW5L2K

Manufacturer: Elkay

Type Comments:

Description:

Assembly Code:

Cost:

Assembly Description:

Type Mark:

OmniClass Number:

What do these properties do?

<< Previous OK Cancel Next >>



### SKU's Configured BIM Model



## LOADING THE IFC MODEL

### How to Load the Elkay IFC Model in Revit

To use an ELKAY IFC model, link the IFC file to a Revit model.

1. (Optional) Before linking an IFC file, click File tab ➤ Open ➤  (IFC Options) and use the Import IFC Options dialog to do the following:
  - Select a default Revit template to use for IFC files.  
Note: If a default template is not selected, the first template listed under File Locations in Revit Options will be used.
2. Open the Revit model.
3. Click Insert tab ➤ Link panel ➤  (Link IFC).
4. In the Open IFC File dialog, navigate to the IFC file, select it, and click Open.